
Product datasheet

HALOLINE PRO 80 W 230 V R7S

HALOLINE PRO | Double ended halogen lamps with tube base



Product datasheet

Technical data

Electrical data

| | |
|--|-------|
| Claimed equiv. conventional lamp power | 100 W |
|--|-------|

Photometrical data

| | |
|---------------------------|------------|
| Light color (designation) | Warm White |
| Luminous flux | 1400 lm |

Dimensions & weight



| | |
|----------------|----------|
| Overall length | 74.90 mm |
| Product weight | 5.6 g |

Additional product data

| | |
|----------------|---|
| Mercury-free | Yes |
| Product remark | Fuse protection with indicated values recommended acc. to IEC60357, EN60357 For outdoor applications and operation in damp locations special approved fixtures are required |

Capabilities

| | |
|------------------|-----|
| Burning position | Any |
|------------------|-----|

Certificates & standards

| | |
|-------------------------|-----------------|
| Energy efficiency class | G |
| Energy consumption | 80.00 kWh/1000h |

Country specific categorizations


| | |
|-------|---------------------|
| ILCOS | HDG-80-230-R7s-74,9 |
|-------|---------------------|

Product datasheet

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---------------|
| Date of Declaration | 18-04-2022 |
| Primary Article Identifier | 4008321928078 |
| Declaration No. in SCIP database | In work |

Light Distribution



HAL_ohne_UVS

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|--------------|---------------------|---------------------------------|---|--------|--------------|
|--------------|---------------------|---------------------------------|---|--------|--------------|

Product datasheet

| | | | | | |
|---------------|--------------------------------|--|---------------------------|----------------------|----------|
| 4008321928078 | HALOLINE PRO 80 W 230 V R7S | Shipping carton box 20 Pieces Folding carton box | 92 mm x 112 mm x 77 mm | 0.79 dm ³ | 209.00 g |
|---------------|--------------------------------|--|---------------------------|----------------------|----------|

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany