

Product family datasheet

OSRAM DULUX T/E PLUS

CFLni, 3 tubes, with 4-pin base for ECG operation



Product family datasheet

Technical data

Product description	Electrical data	Photometrical data	Dimensions & weight		Temperatures & operating conditions	Additional product data	Certificates & standards
	Nominal current	Light color (designation)	Overall length	Product weight	Ambient temperature range	Product remark	Energy efficiency class
DULUX T/E PLUS 18 W/840 ¹⁾	0.23 A A	LUMILUX Cool White	117.00 mm	56.00 g	-5...+40 °C	For ECG operation only	G
DULUX T/E PLUS 26 W/830 ¹⁾	0.33 A A	LUMILUX Warm White	131.50 mm	62.5 g	-5...+40 °C	For ECG operation only	G
DULUX T/E PLUS 26 W/840 ¹⁾	0.33 A A	LUMILUX Cool White	131.50 mm	62.5 g	-5...+40 °C	For ECG operation only	G
DULUX T/E PLUS 32 W/830 ¹⁾	0.32 A A	LUMILUX Warm White	148.00 mm	69.5 g	-5...+40 °C	For ECG operation only	G
DULUX T/E PLUS 32 W/840 ¹⁾	0.32 A A	LUMILUX Cool White	148.00 mm	69.5 g	-5...+40 °C	For ECG operation only	G
DULUX T/E PLUS 42 W/830 ¹⁾	0.32 A A	LUMILUX Warm White	169.00 mm	80.00 g	-5...+40 °C	For ECG operation only	G
DULUX T/E PLUS 42 W/840 ¹⁾	0.32 A A	LUMILUX Cool White	169.00 mm	80.00 g	-5...+40 °C	For ECG operation only	G


Product description	Energy consumption	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
		Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
DULUX T/E PLUS 18 W/840 ¹⁾	19.00 kWh/1000h	18-04-2022	4050300342221	In work
DULUX T/E PLUS 26 W/830 ¹⁾	28.00 kWh/1000h	18-04-2022	4050300342306	In work
DULUX T/E PLUS 26 W/840 ¹⁾	28.00 kWh/1000h	18-04-2022	4050300342283	In work
DULUX T/E PLUS 32 W/830 ¹⁾	32.00 kWh/1000h	18-04-2022	4050300348582	In work
DULUX T/E PLUS 32 W/840 ¹⁾	32.00 kWh/1000h	18-04-2022	4050300348568	In work

Product family datasheet


Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (RECh)

Product description	Energy consumption	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
DULUX T/E PLUS 42 W/830 ¹⁾	44.00 kWh/1000h	18-04-2022	4050300425641	In work
DULUX T/E PLUS 42 W/840 ¹⁾	44.00 kWh/1000h	18-04-2022	4050300425627	In work


¹⁾ For ECG operation only




DULUX T/E PLUS 18 W/840, DULUX T/E PLUS 26 W/830, DULUX T/E PLUS 26 W/840



DULUX T/E PLUS 32 W/830, DULUX T/E PLUS 32 W/840, DULUX T/E PLUS 42 W/830, DULUX T/E PLUS 42 W/840



DULUX T/E PLUS 18 W/840, DULUX T/E PLUS 26 W/840, DULUX T/E PLUS 32 W/840, DULUX T/E PLUS 42 W/840



DULUX T/E PLUS 26 W/830, DULUX T/E PLUS 32 W/830, DULUX T/E PLUS 42 W/830

Product family datasheet

Equipment / Accessories

– Suitable for operation on electronic control gear

Application advice

For more detailed application information and graphics please see product datasheet.

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300342221	DULUX T/E PLUS 18 W/840	Shipping carton box 10	260 mm x 143 mm x 106 mm	3.94 dm ³	777.00 g
4050300342306	DULUX T/E PLUS 26 W/830	Shipping carton box 10	240 mm x 149 mm x 139 mm	4.97 dm ³	827.00 g
4050300342283	DULUX T/E PLUS 26 W/840	Shipping carton box 10	260 mm x 159 mm x 116 mm	4.80 dm ³	853.00 g
4050300348582	DULUX T/E PLUS 32 W/830	Shipping carton box 10	227 mm x 153 mm x 148 mm	5.14 dm ³	901.00 g
4050300348568	DULUX T/E PLUS 32 W/840	Shipping carton box 10	240 mm x 172 mm x 125 mm	5.16 dm ³	911.00 g

Product family datasheet

Logistical Data

4050300425641	DULUX T/E PLUS 42 W/830	Shipping carton box 10	218 mm x 191 mm x 140 mm	5.83 dm ³	999.00 g
4050300425627	DULUX T/E PLUS 42 W/840	Shipping carton box 10	222 mm x 191 mm x 139 mm	5.89 dm ³	999.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For more information on QUICKTRONIC electronic control gear go to

▶ www.osram.com/QUICKTRONIC

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany