

Product datasheet

DULUX S 5 W/840

OSRAM DULUX S | Short CFLni, with 2-pin base for CCG operation



Product datasheet

Technical data

Additional product data

Appropriate disposal acc. to WEEE	Yes
-----------------------------------	-----


Certificates & standards

Energy efficiency class	G
-------------------------	---

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	27-01-2023
Declaration No. in SCIP database	In work

Light Distribution




FL_840


Equipment / Accessories

- Suitable for operation on conventional control gear


Product datasheet



SERIES CONNECTION WITH CONTROL GEAR



SINGLE LAMP WITH PLUG-IN CONTROL GEAR



SINGLE LAMP WITH CONTROL GEAR

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany