

Product family datasheet

COLOR proof T8

Tubular fluorescent lamps 26 mm, with G13 bases, color-proof



- Printing industry, graphic workshops, photographic laboratories Industrial inspection and color matching facilities Industry Shops Incoming goods inspection

- Outstanding OSRAM quality Accurate chromaticity coordinates Stable light-technical and electrical data Uniform coating



Product family datasheet

Technical data

	Electrical data	Photometrical data	Dimensions & weight			Certificates & standards	
Product description	Nominal current	Light color (designation)	Tube diameter	Overall length	Product weight	Energy consumption	Energy efficiency class
L 36 W/950	0.43 A A	Daylight	26 mm	1213.60 mm	165.00 g	38.00 kWh/1000h	G
	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)						
Product description	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database				
L 36 W/950	19-01-2022	4008321423047	In work				



L 36 W/950

L 36 W/950

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321423047	L 36 W/950	Shipping carton box 10	1256 mm x 151 mm x 74 mm	14.03 dm ³	2313.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For more information on QUICKTRONIC electronic control gear go to
▶ www.osram.com/QUICKTRONIC

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany