

---

# Product family datasheet

## OSRAM NATURA T8

**Tubular fluorescent lamps 26 mm, with G13 bases, for food presentation**



- Bakeries, meat processors, butchers Shops Supermarkets and department stores Especially suitable for the food sector (DIN 10504)


- Specially tailored spectral distribution Food looks fresh and appetizing without unduly beautifying it



Product family datasheet

Technical data							
	Electrical data	Photometrical data	Dimensions & weight			Additional product data	Certificates & standards
Product description	Nominal current	Light color (designation)	Tube diameter	Overall length	Product weight	Product remark	Energy consumption
L 30 W/76	0.37 A A	NATURA	26 mm	908.80 mm	132.00 g	Not for general lighting	32.00 kWh/1000h
L 36 W/76	0.43 A A	NATURA	26 mm	1213.60 mm	165.00 g	Not for general lighting	39.00 kWh/1000h
L 58 W/76	0.67 A A	NATURA	26 mm	1514.20 mm	207.00 g	Not for general lighting	61.00 kWh/1000h
	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)						
Product description	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database				
L 30 W/76	18-04-2022	4050300010540	In work				
L 36 W/76	18-04-2022	4050300010526	In work				
L 58 W/76	18-04-2022	4050300010533	In work				

## Product family datasheet



---

L 30 W/76, L 36 W/76, L 58 W/76

---

L 30 W/76, L 36 W/76, L 58 W/76

---

### Application advice

For more detailed application information and graphics please see product datasheet.

---

### Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Product family datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300010540	L 30 W/76	Shipping carton box 10	955 mm x 151 mm x 74 mm	10.67 dm <sup>3</sup>	1610.00 g
4050300010526	L 36 W/76	Shipping carton box 25	142 mm x 145 mm x 1242 mm	25.57 dm <sup>3</sup>	5062.00 g
4050300010533	L 58 W/76	Shipping carton box 10	1556 mm x 151 mm x 74 mm	17.39 dm <sup>3</sup>	2784.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For more information on QUICKTRONIC electronic control gear go to  
▶ [www.osram.com/QUICKTRONIC](http://www.osram.com/QUICKTRONIC)

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany