

Product family datasheet

LUMILUX T9 C

Circular fluorescent lamps 29 mm, with G10Q base



Product family datasheet

Technical data

	Electrical data	Photometrical data	Dimensions & weight			Certificates & standards	
Product description	Nominal current	Light color (designation)	Tube diameter	Overall length	Product weight	Energy consumption	Energy efficiency class
L 22 W/827 G10Q	0.4 A A	LUMILUX INTERNA	29 mm	209.00 mm	124.4 g	23.00 kWh/1000h	G
L 22 W/840 G10Q	0.4 A A	LUMILUX Cool White	29 mm	209.00 mm	124.4 g	23.00 kWh/1000h	G
L 32 W/840 G10Q	0.45 A A	LUMILUX Cool White	29 mm	299.00 mm	176.00 g	35.00 kWh/1000h	G
L 40 W/865 G10Q	0.42 A A	LUMILUX Cool Daylight	29 mm	399.00 mm	233.4 g	42.00 kWh/1000h	G

	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
Product description	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
L 22 W/827 G10Q	18-04-2022	4008321581068	In work
L 22 W/840 G10Q	18-04-2022	4008321581082	In work
L 32 W/840 G10Q	18-04-2022	4008321581143	In work
L 40 W/865 G10Q	18-04-2022	4008321960139	In work

Product family datasheet

L 22 W/827 G10Q, L 22 W/840 G10Q,
L 32 W/840 G10Q, L 40 W/865 G10Q

L 22 W/827 G10Q

L 22 W/840 G10Q, L 32 W/840 G10Q

L 40 W/865 G10Q

Equipment / Accessories

- Suitable for operation on electronic and conventional control gears

Application advice

For more detailed application information and graphics please see product datasheet.

Product family datasheet

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321581068	L 22 W/827 G10Q	Shipping carton box 12	450 mm x 227 mm x 238 mm	24.31 dm ³	2708.60 g
4008321581082	L 22 W/840 G10Q	Shipping carton box 12	450 mm x 238 mm x 227 mm	24.31 dm ³	2747.00 g
4008321581143	L 32 W/840 G10Q	Shipping carton box 12	452 mm x 323 mm x 320 mm	46.72 dm ³	4293.00 g
4008321960139	L 40 W/865 G10Q	Shipping carton box 12	452 mm x 436 mm x 431 mm	84.94 dm ³	5865.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For more information on QUICKTRONIC electronic control gear go to
▶ www.osram.com/QUICKTRONIC

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany