

# Product datasheet

## ST 171 SAFETY DEOS

Starters for single operation at 230 V AC



Product datasheet

Technical data

Electrical data

Nominal voltage	220...240 V
Nominal wattage	65.00 W
Mains frequency	50...60 Hz

Dimensions & weight

Length	40.3 mm
Product weight	8.64 g
Overall length	40.30 mm
Diameter	21.5 mm

Additional product data

Product remark	Temperature range for reliable switch-off: -20...+80 °C
Appropriate disposal acc. to WEEE	Yes
Mercury content	0.0 mg

Capabilities

Dimmable	No
----------	----

Country specific categorizations

Order reference	ST171SAFETY/220
-----------------	-----------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022

Product datasheet

Primary Article Identifier	4050300854106   4050300422855
Declaration No. in SCIP database	In work

SINGLE CIRCUIT

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany