

Product family datasheet POWERSTAR HQI-T G12

Metal halide lamps with quartz technology for enclosed luminaires





April 29, 2024, 01:47:06 POWERSTAR HQI-T G12

Technical data

| | Electrical data | Dimensions & weight | | Certificates & standards | | Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | |
|---------------------|-----------------|---------------------|----------------|----------------------------|--------------------|---|-------------------------------|
| Product description | Nominal current | Product weight | Overall length | Energy efficiency class | Energy consumption | Date of Declaration | Primary Article Identifier |
| HQI-T 70 W/WDL | 0.95 A A | 30.00 g | 84.00 mm | G | 76.00 kWh/1000h | 02-09-2022 | 4008321974341 |
| HQI-T 150 W/NDL UVS | 1.8 A A | 30.00 g | 84.00 mm | G | 152.00 kWh/1000h | 09-12-2022 | 4008321974365 |

| Product description | Candidate List Substance 1 | Declaration No. in SCIP database |
|---------------------|------------------------------------|---------------------------------------|
| HQI-T 70 W/WDL | No declarable substances contained | No declarable substances contained |
| HQI-T 150 W/NDL UVS | No declarable substances contained | No declarable substances contained |

HQI-T 70 W/WDL, HQI-T 150 W/NDL UVS HQI-T 70 W/WDL

HQI-T 150 W/NDL UVS

System guarantee

For the vast majority of our lamps we are offering an extended system guarantee in conjunction with OSRAM POWERTRONIC control gear.

Application advice

For more detailed application information and graphics please see product datasheet.

Additional product information

- Burning position: In horizontal burning position of lamp, base pins must be positioned in such a way that they form a horizontal plane.

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4008321974341 | HQI-T 70 W/WDL | Shipping carton box 12 | 180 mm x 140 mm x 127 mm | 3.20 dm ³ | 567.00 g |
| 4008321974365 | HQI-T 150 W/NDL UVS | Shipping carton box 12 | 180 mm x 140 mm x 127 mm | 3.20 dm ³ | 567.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For more information on the system guarantee and the terms and conditions of the guarantee visit https://

www.inventronics-light.com/multilevel-guarantees

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH Marcel-Breuer-Strasse 6 80807 Munich, Germany

April 29, 2024, 01:47:06