

---

# Product family datasheet

## POWERSTAR HQI-TS

Long arc, no outer bulb for enclosed luminaires





## Product family datasheet

### Technical data

Product description	Electrical data	Dimensions & weight		Additional product data	Certificates & standards	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	Nominal current	Product weight	Overall length	Product remark	Energy consumption	Date of Declaration	Primary Article Identifier
HQI-TS 2000 W/N/L	10.4 A A	88.7 g	274.00 mm	Not for general lighting	2365.00 kWh/1000h	18-04-2022	4008321530660

Product description	Declaration No. in SCIP database
HQI-TS 2000 W/N/L	In work

## Product family datasheet



HQI-TS 2000 W/N/L

HQI-TS 2000 W/N/L

### Application advice

For more detailed application information and graphics please see product datasheet.

### Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

## Product family datasheet

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321530660	HQI-TS 2000 W/N/L	Shipping carton box 10	391 mm x 164 mm x 336 mm	21.55 dm <sup>3</sup>	2100.36 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany