
Product family datasheet

POWERSTAR HQI-T 1000...2000 W

Metal halide lamps for enclosed luminaires



Product family datasheet





Technical data

Product description	Electrical data	Dimensions & weight		Additional product data	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	Nominal current	Product weight	Overall length	Product remark	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
HQI-T 2000 W/N/E SUPER	9.6 A A	580.00 g	430.00 mm	Not for general lighting	18-04-2022	4008321979063	In work
HQI-T	10.3 A A	580.00 g	430.00 mm	Not for general lighting	18-04-2022	4008321526809	In work
HQI-T 2000 W/N/I ¹⁾	8.8 A A	530.3 g	430.00 mm	Not for general lighting Operation without external igniter	18-04-2022	4008321665379	In work
HQI-T 2000 W/D/I ¹⁾	10.3 A A	544.8 g	430.00 mm	Not for general lighting Operation without external igniter	18-04-2022	4008321527011	In work

Product description	Photometrical data
	Light color (designation)
HQI-T 2000 W/N/E SUPER	
HQI-T	
HQI-T 2000 W/N/I ¹⁾	Neutral White
HQI-T 2000 W/D/I ¹⁾	

¹⁾ Operation without external igniter

Product family datasheet



HQI-T 2000 W/N/E SUPER, HQI-T ,
HQI-T 2000 W/N/I, HQI-T 2000 W/D/I

HQI-T 2000 W/N/E SUPER

HQI-T 2000 W/N/I

HQI-T 2000 W/D/I

Application advice

For more detailed application information and graphics please see product datasheet.

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Product family datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321979063	HQI-T 2000 W/N/E SUPER	Shipping carton box 4	525 mm x 270 mm x 275 mm	38.98 dm ³	3724.00 g
4008321526809	HQI-T	Shipping carton box 4	292 mm x 526 mm x 275 mm	42.24 dm ³	3724.00 g
4008321665379	HQI-T 2000 W/N/I	Shipping carton box 4	525 mm x 270 mm x 275 mm	38.98 dm ³	3525.20 g
4008321527011	HQI-T 2000 W/D/I	Shipping carton box 4	296 mm x 532 mm x 275 mm	43.30 dm ³	3583.20 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany