

# Product family datasheet

## POWERSTAR HQI-T

Metal halide lamps with quartz technology for enclosed luminaires



## Product family datasheet


### Technical data

| Product description              | Electrical data | Dimensions & weight |                | Certificates & standards |                    | Environmental information<br>Information according Art. 33 of EU<br>Regulation (EC) 1907/2006 (REACH) |                            |
|----------------------------------|-----------------|---------------------|----------------|--------------------------|--------------------|---|----------------------------|
|                                  | Nominal current | Product weight      | Overall length | Energy efficiency class  | Energy consumption | Date of Declaration   | Primary Article Identifier |
| HQI-T 250 W/D PRO                | 3 A A           | 150.00 g            | 226.00 mm      | G                        | 260.00 kWh/1000h   | 13-05-2022  | 4008321677846              |
| HQI-BT 400 W/D PRO <sup>1)</sup> | 4 A A           | 220.00 g            | 290.00 mm      | G                        | 430.00 kWh/1000h   | 02-09-2022  | 4008321677860              |


| Product description              | Candidate List<br>Substance 1      | Declaration No. in<br>SCIP database | Additional product data |
|----------------------------------|------------------------------------|-------------------------------------|-------------------------|
|                                  |                                    |                                     | Product remark          |
| HQI-T 250 W/D PRO                | No declarable substances contained | No declarable substances contained  |                         |
| HQI-BT 400 W/D PRO <sup>1)</sup> | No declarable substances contained | No declarable substances contained  | With NAV control gear   |

<sup>1)</sup> With NAV control gear


## Product family datasheet



HQI-T 250 W/D PRO



HQI-BT 400 W/D PRO



HQI-T 250 W/D PRO, HQI-BT 400 W/D PRO

### Application advice

For more detailed application information and graphics please see product datasheet.

### Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

## Product family datasheet

### Logistical Data

| Product code  | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume                | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4008321677846 | HQI-T 250 W/D PRO   | Shipping carton box<br>12    | 216 mm x 166 mm x 272 mm             | 9.75 dm <sup>3</sup>  | 2366.00 g    |
| 4008321677860 | HQI-BT 400 W/D PRO  | Shipping carton box<br>12    | 342 mm x 347 mm x 258 mm             | 30.62 dm <sup>3</sup> | 3534.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany