

Product family datasheet

POWERSTAR HQI-E coated

Metal halide lamps with quartz technology for enclosed luminaires



- Factories and workshops Exhibition halls and trade fairs Sports halls and multi-purpose halls Approved only for use in enclosed luminaires Outdoor applications only in suitable luminaires

- Long lifetime E40 screw base for simple lamp handling UV values significantly below the maximum permitted thresholds to IEC 61167 thanks to UV filter
- Product features POWERSTAR® quartz technology Light colors: neutral white (NDL), daylight (D) Product benefits Long lifetime E40 screw base for simple lamp handling UV values significantly below the maximum permitted thresholds to IEC 61167 thanks to UV filter Areas of application Factories and workshops Exhibition halls and trade fairs Sports halls and multi-purpose halls Approved only for use in enclosed luminaires Outdoor applications only in suitable luminaires



Product family datasheet

Technical data

| | Electrical data | Dimensions & weight | | Certificates & standards | | Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---------------------|-----------------|---------------------|----------------|--------------------------|--------------------|---|----------------------------|
| Product description | Nominal current | Product weight | Overall length | Energy efficiency class | Energy consumption | Date of Declaration | Primary Article Identifier |
| HQI-E 250 W/D PRO | 3 A A | 160.00 g | 226.00 mm | G | 260.00 kWh/1000h | 18-04-2022 | 4008321677907 |

| Product description | Declaration No. in SCIP database |
|---------------------|-------------------------------------|
| HQI-E 250 W/D PRO | In work |

HQI-E 250 W/D PRO

HQI-E 250 W/D PRO

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4008321677907 | HQI-E 250 W/D PRO | Shipping carton box 12 | 426 mm x 331 mm x 252 mm | 35.53 dm ³ | 2879.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany