

# **Product family datasheet** VIALOX NAV-TS SUPER 4Y

High-pressure sodium vapor lamps for open and enclosed luminaires







Page 1 of 4


## Product family datasheet

#### Technical data

	Electrical data	Dimensions & weight			Certificates & standards		Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)
Product description	Nominal current	Light center length (LCL)	Product weight	Overall length	Energy efficiency class	Energy consumption	Date of Declaration
NAV-TS 70 W SUPER 4Y	0.98 A A	60,0 mm	18.00 g	120.00 mm	G	77.00 kWh/1000h	09-12-2022

Product description	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
NAV-TS 70 W SUPER 4Y	4050300024301	No declarable substances contained	No declarable substances contained

## Product family datasheet



NAV-TS 70 W SUPER 4Y

NAV-TS 70 W SUPER 4Y

### Application advice

For more detailed application information and graphics please see product datasheet.

#### Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

## Product family datasheet

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300024301	NAV-TS 70 W SUPER 4Y	Shipping carton box 12	180 mm x 140 mm x 158 mm	3.98 dm <sup>3</sup>	559.60 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner of LEDVANCE of LAMPS



OSRAM GmbH Marcel-Breuer-Strasse 6 80807 Munich, Germany