

Lamps without halogen, low voltage



Areas of application

- As film projector lamps



Product family datasheet

Technical data

	Product information	Electrical data		Dimensions & weight			Temperatures & operating conditions
Product description	Order reference	Lamp wattage	Nominal voltage	Diameter	Length	Light center length (LCL)	Max. permitted ambient temp. pinch point
Incandescent 8013	8013 10W 6V BA1	10 W	60 V	250 mm	460 mm	30.0 mm	350 °C
Incandescent 8017	8017 15W 6V B15	15 W	60 V	190 mm	540 mm	7.0 mm	350 °C
Incandescent 8018 ¹⁾	8018 15W 6V B15	15 W	60 V	190 mm	520 mm	5.0 mm	350 °C
8022	8022 50W 12V BA	50 W	120 V	350 mm	690 mm	39.5 mm	350 °C
8024	8024 40W 12V BA	40 W	120 V	350 mm	670 mm	30.0 mm	350 °C
Incandescent 8100	8100 30W 5V E14	30 W	60 V	350 mm	650 mm	35.0 mm	350 °C

	Lifespan	Additional product data	Capabilities	Environmental information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
Product description	Lifespan	Base (standard designation)	Burning position	Date of Declaration
Incandescent 8013	200 h	BA15d	Any	05-03-2024
Incandescent 8017	1000 h	B15d	Other	05-03-2024
Incandescent 8018 ¹⁾	100 h	B15d	Any	05-03-2024
8022	50 h	BA20d	Other	05-03-2024
8024	500 h	BA20d	Other	05-03-2024
Incandescent 8100	600 h	E14	Any	05-03-2024

Product description	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
Incandescent 8013	4050300206356 0046135763113	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product family datasheet

Product description	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
Incandescent 8017	4050300017327	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Incandescent 8018 ¹⁾	4050300206417	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
8022	4050300206677	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
8024	4050300013817	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Incandescent 8100	4050300342122 0046135763212	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product description	Declaration No. in SCIP database
Incandescent 8013	fd4ce5b0-fdcc-4400-9ff6-9d96904d908a
Incandescent 8017	b6a41d2c-d6de-4e69-9f20-61b6a868769a
Incandescent 8018 ¹⁾	5b11f896-b396-4d7a-858e-b784cb8d349c
8022	2994bd8d-3466-4539-8ed8-ddcbb9b86995
8024	0b89083b-acc3-430c-b248-069ce18eb34f
Incandescent 8100	dc6bd497-444b-4556-943d-fb3cf93bddb2

Product family datasheet

¹⁾ Flat-core filament, filament area perpendicular to the lamp axis

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.