

Incandescent 70335

Lamps without halogen, low voltage

Areas of application

- As film projector lamps



Product datasheet

Technical data

Product information

| | |
|-----------------|-------|
| Order reference | 70335 |
|-----------------|-------|

Electrical data

| | |
|-----------------|---------|
| Lamp wattage | 28 W |
| Nominal voltage | 6.0 V |
| Nominal wattage | 28.00 W |

Dimensions & weight

| | |
|---------------------------|---------|
| Diameter | 35.0 mm |
| Length | 66.0 mm |
| Light center length (LCL) | 37.0 mm |

Temperatures & operating conditions

| | |
|--|--------|
| Max. permitted ambient temp. pinch point | 350 °C |
|--|--------|

Lifespan

| | |
|----------|-------|
| Lifespan | 400 h |
|----------|-------|

Additional product data

| | |
|-----------------------------|-----|
| Base (standard designation) | E14 |
|-----------------------------|-----|

Capabilities

| | |
|------------------|-------|
| Burning position | Other |
|------------------|-------|

Country specific categorizations

| | |
|-----------------|-------|
| Order reference | 70335 |
|-----------------|-------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|--|
| Date of Declaration | 19-05-2023 |
| Primary Article Identifier | 4050300219851 |
| Candidate List Substance 1 | Lead |
| CAS No. of substance 1 | 7439-92-1 |
| Safe Use Instruction | The identification of the Candidate List substance is sufficient to allow safe use of the article. |
| Declaration No. in SCIP database | 6d10a467-6d72-4e9d-a84f-6fb68cbaaf1e |

Product datasheet

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4050300219851 | Incandescent 70335 | Unpacked 1 | 25 mm x 25 mm x 66 mm | 0.04 dm ³ | 12.00 g |
| 4050300219868 | Incandescent 70335 | Shipping carton box 200 | 480 mm x 290 mm x 345 mm | 48.02 dm ³ | 3598.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.