

## Incandescent 70335

Lamps without halogen, low voltage

### Areas of application

- As film projector lamps



Technical data

Product information

Order reference	70335
-----------------	-------

Electrical data

Lamp wattage	28 W
Nominal voltage	6.0 V
Nominal wattage	28.00 W

Dimensions & weight

Diameter	35.0 mm
Length	66.0 mm
Light center length (LCL)	37.0 mm

Temperatures & operating conditions

Max. permitted ambient temp. pinch point	350 °C
--	--------

Lifespan

Lifespan	400 h
----------	-------

Additional product data

Base (standard designation)	E14
-----------------------------	-----

Capabilities

Burning position	Other
------------------	-------

Country specific categorizations

Order reference	70335
-----------------	-------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4050300219851
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	6d10a467-6d72-4e9d-a84f-6fb68cbaaf1e

## Product datasheet

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300219851	Incandescent 70335	Unpacked 1	25 mm x 25 mm x 66 mm	0.04 dm <sup>3</sup>	12.00 g
4050300219868	Incandescent 70335	Shipping carton box 200	480 mm x 290 mm x 345 mm	48.02 dm <sup>3</sup>	3598.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.