

Incandescent 8018

Lamps without halogen, low voltage



Areas of application

- As film projector lamps



Product datasheet

Technical data


Product information

Order reference	8018 15W 6V B15
-----------------	-----------------

Electrical data

Lamp wattage	15 W
Nominal voltage	6.0 V
Nominal wattage	15.00 W

Dimensions & weight



Diameter	19.0 mm
Length	52.0 mm
Light center length (LCL)	5.0 mm

Temperatures & operating conditions

Max. permitted ambient temp. pinch point	350 °C
--	--------

Lifespan

Lifespan	100 h
----------	-------

Additional product data

Base (standard designation)	B15d
Product remark	Flat-core filament, filament area perpendicular to the lamp axis

Capabilities

Burning position	Any
------------------	-----

Product datasheet

Country specific categorizations

Order reference	8018 15W 6V B15
-----------------	-----------------


Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	23-12-2022
Primary Article Identifier	4050300206417
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	5b11f896-b396-4d7a-858e-b784cb8d349c

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300206417	OSRF8018	-	4739342	-
4050300206417	OSRF8018	-	4516079	-

Product datasheet



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300206417	Incandescent 8018	Folding carton box 1	26 mm x 26 mm x 69 mm	0.05 dm ³	15.00 g
4050300206424	Incandescent 8018	Shipping carton box 100	270 mm x 142 mm x 154 mm	5.90 dm ³	1625.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.