

HSR brand

Metal halide lamps



Areas of application

- Entertainment
- Architainment

Product family benefits

- Outer bulb for ease of handling

Product family features

- Single-ended lamps similar to HTI lamps



Product family datasheet

Technical data

Product description	Electrical data		Photometrical data			Dimensions & weight	
	Nominal voltage	Nominal current	Nominal luminous flux	Luminance	Color temperature	Diameter	Length
HSR 400 W/60	67.0 V		33000 lm	20000 cd/cm ²	6000 K	23.0 mm	110.0 mm
HSR 575 W/60	95.0 V	6.1 A		10000 cd/cm ²	6000 K	30.0 mm	125.0 mm
HSR 575 W/72	97.5 V	7.00 A	49000 lm	10000 cd/cm ²	7200 K	30.0 mm	125.0 mm

Product description	Light center length (LCL)	Lifespan	Additional product data	Capabilities	Certificates & standards
		Lifespan	Base (standard designation)	Burning position	EEI – Energy Label
HSR 400 W/60	62.0 mm	1000 h	GX9.5	Other	B
HSR 575 W/60	65.0 mm	1000 h	GX9.5	Other	B
HSR 575 W/72	65.0 mm	1000 h	GX9.5	Other	B

Product description	Environmental information			
	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1
HSR 400 W/60	10-11-2021	4050300315942 4008321631503	No declarable substances contained	No CAS
HSR 575 W/60	10-11-2021	4050300941776 4008321625885	No declarable substances contained	No CAS
HSR 575 W/72	10-11-2021	4008321074126 4008321625908 4008321662583	No declarable substances contained	No CAS

Product description	Safe Use Instruction	Declaration No. in SCIP database
HSR 400 W/60	The identification of the Candidate List substance is sufficient to allow safe use of the article.	No declarable substances contained
HSR 575 W/60	The identification of the Candidate List substance is sufficient to allow safe use of the article.	No declarable substances contained

Product family datasheet

Product description	Safe Use Instruction	Declaration No. in SCIP database
HSR 575 W/72	The identification of the Candidate List substance is sufficient to allow safe use of the article.	No declarable substances contained

Product family datasheet

Safety advice

Because of their high luminance, UV radiation and high internal pressure during operation, HSR lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions. HSR lamps are not capable of hot restarts.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.