

93654 250 W 24 V

Halogen lamps with reflector MR16



Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)





Product datasheet

Technical data

Product information

Order reference	93654

Electrical data

Nominal voltage	240 V
Nominal wattage	25000 W


Photometrical data

Color temperature	3200 K
Nominal luminous flux	475 lm
Maximum color temperature	3200 K
Color rendering index Ra	100

Light technical data

Focal length	35.0 mm

Dimensions & weight



Diameter	510 mm
Length	448 mm

Lifespan

Lifespan	300 h
----------	-------

Additional product data

Coating	True
Base (standard designation)	GX5.3
Minimum diameter of lamp enclosure	51.0 mm

Product datasheet

Capabilities

Cooling	Forced
Burning position	Any

Country specific categorizations

Order reference	93654

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Date of Declaration	29-02-2024	
Primary Article Identifier	4050300666464	
Declaration No. in SCIP database	In work	

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300666464	93654 250 W 24 V	Folding carton box 1	44 mm x 44 mm x 55 mm	0.11 dm ³	36.00 g
4050300666471	93654 250 W 24 V	Shipping carton box 24	198 mm x 152 mm x 140 mm	4.23 dm ³	907.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further technical information please refer to the following OSRAM brochure:

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

[&]quot;Technology and applications, Low-voltage tungsten-halogen lamps"

[&]quot;Halogen lamps, low and medium voltage for entertainment, technical and medical applications" cross reference list