

# 64607 50 W 8 V

Halogen lamps with reflector MR16



## Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)





# Product datasheet

#### Technical data

## **Product information**

Order reference	64607 EFM 50W 8
-----------------	-----------------

#### **Electrical data**

Nominal voltage	8 V
Nominal wattage	5000 W


#### Photometrical data

Maximum color temperature	3200 K	
Color rendering index Ra	100	

# Light technical data

Focal length	32.0 mm

# Dimensions & weight



Diameter	510 mm
Length	420 mm

## Lifespan

Lifespan	50 h
----------	------

# Additional product data

Coating	Aluminum	
Base (standard designation)	GZ6.35	
Minimum diameter of lamp enclosure	51.0 mm	

# **Capabilities**

# Product datasheet

Cooling	Forced
Burning position	p90/p15

# **Country specific categorizations**

ANSI code EFM		
LIF	A1/229	
Order reference	64607 EFM 50W 8	

## **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration 29-02-2024				
Primary Article Identifier 4050300006789				
Candidate List Substance 1 No declarable substances contained				
Declaration No. in SCIP database  No declarable substances contained				

## Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300006789	OSRH64607	-	-	-
4050300006789	OSRH64607	-	-	-

#### Product datasheet



#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300006789	64607 50 W 8 V	Folding carton box 1	46 mm x 46 mm x 58 mm	0.12 dm <sup>3</sup>	36.00 g
4050300946399	64607 50 W 8 V	Shipping carton box 20	238 mm x 105 mm x 123 mm	3.07 dm <sup>3</sup>	778.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### References / Links

For further technical information please refer to the following OSRAM brochure:

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

<sup>&</sup>quot;Technology and applications, Low-voltage tungsten-halogen lamps"

<sup>&</sup>quot;Halogen lamps, low and medium voltage for entertainment, technical and medical applications" cross reference list