


# 64504 150 W 230 V

Halogen lamps, medium/high voltage, single-ended

Areas of application

- Professional film and TV work



#### Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



April 25, 2024, 01:42:07 64504 150 W 230 V

### Technical data

## **Product information**


#### **Electrical data**

Nominal wattage	15000 W	
Nominal voltage	230 V	
On-mode power	155.00 W	
Energy consumption in on-mode	155.0 kWh/1000h	

### Photometrical data

Color temperature	3200 К
Color rendering index Ra	100
Φuse value refers to luminous flux	360
Correlated color temperature CCT	3158 К
Useful luminous flux (Фиse)	3570 lm
Chromaticity coordinate x	0.426
Chromaticity coordinate y	0.401

## Dimensions & weight



Diameter	1800 mm
Length	620 mm
Illuminated field	9.6*12.5 mm <sup>2</sup>

## Lifespan

Lifespan 25 h

## Additional product data

Base (standard designation)	G6.35	
Lighting technology used	HL	
Capabilities		
Burning position	s90	
Certificates & standards		

Energy efficiency class G

## **Country specific categorizations**

ANSI code	Other	
LIF	A1/249	
Order reference	64504 A1/248 15	

#### Logistical data

EAN	10 of contained light source
-----	------------------------------

4052899101654

#### **Environmental information**

## Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	06-03-2024	
Primary Article Identifier	4052899101654	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	No declarable substances contained	

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899101654	64504 150 W 230 V	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm <sup>3</sup>	14.00 g
4052899101661	64504 150 W 230 V	Shipping carton box 20	205 mm x 142 mm x 76 mm	2.21 dm³	335.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### References / Links

For further information on pinch technology, please refer to the following brochure: "A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.