

# 64501 150 W 120 V

Halogen lamps, medium/high voltage, single-ended




Areas of application

- Professional film and TV work

#### Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



April 26, 2024, 18:45:58 64501 150 W 120 V

### Technical data

### **Product information**


#### **Electrical data**

Nominal wattage	15000 W	
Nominal voltage	120 V	
On-mode power	155.00 W	
Energy consumption in on-mode	155.0 kWh/1000h	

### Photometrical data

Color temperature	3250 K
Color rendering index Ra	100
$\Phi \mbox{use}$ value refers to luminous flux	360
Correlated color temperature CCT	3284 К
Useful luminous flux (Фиse)	4200 lm
Chromaticity coordinate x	0.419
Chromaticity coordinate y	0.398

### Dimensions & weight



Diameter	120 mm
Length	550 mm
Illuminated field	11.0*2.2 mm <sup>2</sup>
Filament diameter	2.2 mm

### Lifespan

Lifesnan	50 h
Lifespair	5011

### Additional product data

Base (standard designation)	GX6.35
Lighting technology used	HL
Capabilities	
Burning position	h90
Certificates & standards	
Energy efficiency class	G
Country specific categorizations	
ANSI code	Other
Order reference	64501 150W 120V

# Logistical data

EAN 10 of contained light source	4008321746030
----------------------------------	---------------

#### **Environmental information**

### Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	25-04-2024	
Primary Article Identifier	4050300279237   4008321746030	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300279237	64501 150 W 120 V	Folding carton box 1	- x - x -		
4050300279244	64501 150 W 120 V	Shipping carton box 25	220 mm x 220 mm x 170 mm	8.23 dm <sup>3</sup>	582.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### References / Links

For further information on pinch technology, please refer to the following brochure: "A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.