

DULUX S BL UVA 9 W/78

OSRAM BLUE UV-A | Ultraviolet lamps



Areas of application

- Insect traps
- Cosmetic nail curing
- Manufacture of printed circuit boards
- Tempering and curing of photosensitive material
- Fluorescent exciter for scientific and criminological investigations
- Manufacture of dental prosthetics
- Testing of banknotes and credit cards
- Terrarium illumination

Product family benefits

- Eco-friendly, chemical-free
- High quality and long service life
- Ideal for insect traps and other UVA applications
- Emits effective long-wave UVA
- Different form factors enable freedom of design
- RoHS-compliant
- Lead-free
- Low mercury content



April 25, 2024, 01:42:07 DULUX S BL UVA 9 W/78

Technical data

Product information


Order reference	DUL S BL UVA 9W
Electrical data	

Lamp voltage	60 V
Lamp current	018 A
Nominal wattage	900 W

Photometrical data

Luminous intensity	7800 cd
Radiated power 315400 nm (UVA)	1.5 W

Dimensions & weight



Diameter120 mmLength1655 mmLifespan2000 hAdditional product data2000 hBase (standard designation)G23Capabilitiess180Burning positions180		
Lifespan 2000 h Additional product data Base (standard designation) G23 Capabilities Burning position s180	Diameter	120 mm
Lifespan 2000 h Additional product data Base (standard designation) G23 G23 Capabilities s180	Length	1655 mm
Additional product data Base (standard designation) G23 Capabilities Burning position s180	Lifespan	
Base (standard designation) G23 Capabilities Burning position s180	Lifespan	2000 h
Capabilities Burning position s180	Additional product data	
Burning position s180	Base (standard designation)	G23
	Capabilities	
Country specific categorizations	Burning position	s180
	Country specific categorizations	
Order reference DUL S BL UVA 9W	Order reference	DUL S BL UVA 9W

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	05-03-2024		
Primary Article Identifier	4052899125094		
Candidate List Substance 1	Lead		
CAS No. of substance 1	7439-92-1		
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.		
Declaration No. in SCIP database	23452901-3a71-45c8-b586-976562ba1478		

Country specific information

Product code	METEL-Code	SEG-No.	STK number	UK Org
4052899125094	-	-	4934194	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899125094	DULUX S BL UVA 9 W/78	Folding carton box 1	36 mm x 23 mm x 171 mm	0.14 dm³	36.00 g
4052899125100	DULUX S BL UVA 9 W/78	Shipping carton box 10	126 mm x 81 mm x 183 mm	1.87 dm³	401.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.