

## DULUX L BL UVA 36 W/78

OSRAM BLUE UV-A | Ultraviolet lamps



### Areas of application

- Insect traps
- Cosmetic nail curing
- Manufacture of printed circuit boards
- Tempering and curing of photosensitive material
- Fluorescent exciter for scientific and criminological investigations
- Manufacture of dental prosthetics
- Testing of banknotes and credit cards
- Terrarium illumination

### Product family benefits

- Eco-friendly, chemical-free
- High quality and long service life
- Ideal for insect traps and other UVA applications
- Emits effective long-wave UVA
- Different form factors enable freedom of design
- RoHS-compliant
- Lead-free
- Low mercury content



# Product datasheet

## Technical data

### Product information

Order reference	DUL L BL UVA 36
-----------------	-----------------


### Electrical data

Lamp voltage	94 V
Lamp current	0.43 A
Nominal wattage	36.00 W

### Photometrical data

Nominal luminous flux	2900 lm
Luminous intensity	7800 cd
Radiated power 315...400 nm (UVA)	7.9 W
Color rendering index Ra	80...89

### Dimensions & weight



Diameter	18.0 mm
Length	408.0 mm

### Lifespan

Lifespan	5000 h
----------	--------

### Additional product data

Base (standard designation)	2G11
-----------------------------	------

### Capabilities

Burning position	≤180
------------------	------

## Product datasheet

### Country specific categorizations

Order reference	DUL L BL UVA 36
-----------------	-----------------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	19-01-2022
Primary Article Identifier	4008321875303
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	17A39CF0-987C-4705-B515-E4BC072F44A0

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321875303	DULUX L BL UVA 36 W/78	Folding carton box 1	46 mm x 26 mm x 442 mm	0.53 dm <sup>3</sup>	128.00 g
4008321875310	DULUX L BL UVA 36 W/78	Shipping carton box 10	136 mm x 103 mm x 455 mm	6.37 dm <sup>3</sup>	1402.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.