

Product datasheet SIG 64004

SIRIUS | Low-voltage halogen lamps with dichroic reflector, road traffic



- Road and rail traffic signals

- Fixed adjustment of halogen tube to reflector provides high luminous intensity

- Nearly constant luminous intensity due to high quality reflector coating

Very long life due to the halogen tube
Product features

- Connecting cables equipped with contacts/insulation widely resistant to corrosion and heat

Product benefits

- Fixed adjustment of halogen tube to reflector provides high luminous intensity
- Nearly constant luminous intensity due to high quality reflector coating
- Very long life due to the halogen tube

Areas of application

- Road and rail traffic signals




Product datasheet

Technical data

Light technical data

Focal length	42.0 mm
Aperture window, maximum	10.2 mm

Dimensions & weight



Base diameter

24.5 mm

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Date of Declaration	12-04-2024
Declaration No. in SCIP database	In work

SIG 64004

Product datasheet

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner of LEDVANCE of LAMPS



OSRAM GmbH Marcel-Breuer-Strasse 6 80807 Munich, Germany