


Y-CONNECTOR MULTI3

Y-CONNECTOR | Branching for light management systems



Product family features

- Passive distributor
- Connections: 3x modular 4p4c socket
- Type of installation: Adhesive pad mounting on smooth surfaces

Product family benefits

- For parallel connection of sensors to the DALIeco system


Areas of application

- Suitable for all OSRAM components with modular 4p4c connector system

Product datasheet

Technical data

Dimensions & weight



Length	34.0 mm
Width	18.0 mm
Height	16.0 mm
Product weight	80.00 g

Certificates & standards

Type of protection	IP20
--------------------	------

Logistical data

Commodity code	85366990990
----------------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	12-07-2022
Primary Article Identifier	4050300803135
Declaration No. in SCIP database	In work

Equipment / Accessories

- 2 connecting cables included, modular 4p4c connector on both ends, length 2.1 m

Download Data

File

Product datasheet



Declarations of conformity
334067_LMS MULTI3 SENSORS



Installation/Operation notice
334148_Y-CONNECTOR – branch element

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300803135	Y-CONNECTOR MULTI3	Shipping carton box 25	224 mm x 190 mm x 220 mm	9.36 dm ³	2465.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.