

## BX -MP

BackLED and BoxLED mounting profiles | Accessories for LED Modules for advertising and backlighting



### Product family features

- Universally applicable mounting profile for single or double-sided light boxes
- Overall length: 2,000 mm

### Product family benefits

- Can be easily shortened to any length
- Quick and easy mounting of the profile with self-tapping screws or pop rivets
- Quick and simple snap-in fixing of the LED modules, no tools required
- Robust aluminum profile


### Areas of application

- Advertising and lettering
- Backlighting of single and double-sided light boxes

# Product datasheet

## Technical data

### Dimensions & weight



<b>Product weight</b>	180.00 g
<b>Length</b>	2365 mm
<b>Width</b>	37.6 mm
<b>Height</b>	16.0 mm

### Logistical data

<b>Commodity code</b>	76169990990
-----------------------	-------------


### Environmental information

<b>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)</b>	
<b>Date of Declaration</b>	08-08-2022
<b>Primary Article Identifier</b>	4008321981110
<b>Candidate List Substance 1</b>	No declarable substances contained
<b>Declaration No. in SCIP database</b>	No declarable substances contained

### Equipment / Accessories

- BA-MP suitable for BackLED L, BoxLED XS
- BA-SM-MP suitable for BackLED S/M

## Product datasheet



boxLED mounting profile insert module

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321981110	BX -MP	Shipping carton box 24	2438 mm x 100 mm x 162 mm	39.50 dm <sup>3</sup>	11369.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.