

XENARC COOL BLUE INTENSE D1R

Extra-blue xenon light



Xenon extra blue

Extra blue light due to a special filling system used instead of conventional coating



Up to 6,000 Kelvin

High contrast and brilliantly blue light for most stylish and modern look on the road



Up to 20% more light

For better visibility and shorter reaction times compared to standard xenon lamps



The extra-blue xenon light with up to 6,000 K

XENARC COOL BLUE INTENSE – discover that modern look at high power! With its extra blue, high-contrast xenon light, this automotive lamp appeals especially to customers who like the perfect combination of stylish and individual design with exceptional road illumination. The high-tech xenon light with color temperatures of up to 6,000 Kelvin comes up with a highly efficient technology, brilliant effect and no-compromise design. Thanks to a special filling system which is used instead of conventional coating the lamp emits its extra blue light. This stylish light creates a high-attention effect that helps you to be better seen by other motorists. Discover the exceptionally bright, high-contrast and brilliantly blue light with up to 6,000 Kelvin and 20% more light! With XENARC COOL BLUE INTENSE, the night turns into day. Please note: XENARC lamp change is recommended to be carried out by a professional.

Product datasheet

Technical data


Electrical data

Power input	35 W
Nominal voltage	85.0 V
Nominal wattage	35.00 W
Test voltage	13.5 V
Power input tolerance	±3 %

Photometrical data

Luminous flux	2800 lm
Luminous flux tolerance	±16 %

Dimensions & weight



Diameter	9 mm
Product weight	59.00 g
Length	83.2 mm

Lifespan

Lifespan B3	1500 h
Lifespan Tc	2000 h

Additional product data

Base (standard designation)	PK32d-3
-----------------------------	---------

Capabilities

Technology	HID
------------	-----

Certificates & standards

Product datasheet

ECE category	D1R ¹⁾
Approval marks – approval	E1 approval

¹⁾ To be operated only with approved electronic control gear

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-05-2022
Primary Article Identifier	4008321401373 4052899339903 4052899309524
Candidate List Substance 1	leadLead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	1007d6ef-ed6d-41ea-b1dc-f3f6f7f39a7b ecdcec2a-6d88-439a-b6ce-687c77b20030 a4659e4a-5c0d-4178-aae9-b1c766d0fece

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899339903	XENARC COOL BLUE INTENSE D1R	Folding carton box 1	53 mm x 46 mm x 93 mm	0.23 dm ³	80.00 g
4052899339910	XENARC COOL BLUE INTENSE D1R	Shipping carton box 4	118 mm x 98 mm x 97 mm	1.12 dm ³	352.05 g
4052899339927	XENARC COOL BLUE INTENSE D1R	Shipping carton box 48	371 mm x 256 mm x 232 mm	22.03 dm ³	4389.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Safety advice

XENARC lamp change is recommended to be carried out by a professional.

Legal advice

ECE approval

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

Product datasheet



OSRAM