

# XENARC COOL BLUE INTENSE D2S

Extra-blue xenon light



### Xenon extra blue

Extra blue light due to a special filling system used instead of conventional coating



### Up to 6,000 Kelvin

High contrast and brilliantly blue light for most stylish and modern look on the road



### Up to 20% more light

For better visibility and shorter reaction times compared to standard xenon lamps



### The extra-blue xenon light with up to 6,000 K

XENARC COOL BLUE INTENSE – discover that modern look at high power! With its extra blue, high-contrast xenon light, this automotive lamp appeals especially to customers who like the perfect combination of stylish and individual design with exceptional road illumination. The high-tech xenon light with color temperatures of up to 6,000 Kelvin comes up with a highly efficient technology, brilliant effect and no-compromise design. Thanks to a special filling system which is used instead of conventional coating the lamp emits its extra blue light. This stylish light creates a high-attention effect that helps you to be better seen by other motorists. Discover the exceptionally bright, high-contrast and brilliantly blue light with up to 6,000 Kelvin and 20% more light! With XENARC COOL BLUE INTENSE, the night turns into day. Please note: XENARC lamp change is recommended to be carried out by a professional.

## Product datasheet

---

### Technical data

#### Electrical data


Power input	35 W
Nominal voltage	85.0 V
Nominal wattage	35.00 W
Test voltage	13.5 V
Power input tolerance	±3 %

#### Photometrical data

Luminous flux	3200 lm
Luminous flux tolerance	±15 %

#### Dimensions & weight

---



Diameter	9 mm
Product weight	16.10 g
Length	77.3 mm

#### Lifespan

Lifespan B3	1800 h
Lifespan Tc	2800 h

#### Additional product data

Base (standard designation)	P32d-2
-----------------------------	--------

#### Capabilities

Technology	HID
------------	-----

#### Certificates & standards

---

## Product datasheet

<b>ECE category</b>	D2S <sup>1)</sup>
<b>Approval marks – approval</b>	E1 approval

<sup>1)</sup> To be operated only with approved electronic control gear

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
<b>Date of Declaration</b>	25-11-2022
<b>Primary Article Identifier</b>	4008321401311   4008321401359   4052899431744   4052899431706   4052899431683   4052899477803   4052899431720   4062172349055
<b>Candidate List Substance 1</b>	mercuryLead
<b>CAS No. of substance 1</b>	7439-92-1
<b>Safe Use Instruction</b>	The identification of the Candidate List substance is sufficient to allow safe use of the article.
<b>Declaration No. in SCIP database</b>	3f08cde9-a8f7-421e-b8a9-f6bf1b655ef8   448c885b-48b7-47da-9777-9913f8886b07     bf61f0ea-a257-45ae-a466-38c35dd74b54   cd76a21f-a8fd-4f32-9a72-ef090315ebfb

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321401359	OSRA66240CBI	-	-	-
4008321401359	OSRA66240CBI	-	-	-
4052899336216	OSRA66240CBI	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321401359	XENARC COOL BLUE INTENSE D2S	Folding carton box 1	33 mm x 33 mm x 87 mm	0.09 dm <sup>3</sup>	26.00 g
4052899336209	XENARC COOL BLUE INTENSE D2S	Shipping carton box 4	115 mm x 101 mm x 103 mm	1.20 dm <sup>3</sup>	176.00 g
4052899336216	XENARC COOL BLUE INTENSE D2S	Shipping carton box 48	371 mm x 256 mm x 232 mm	22.03 dm <sup>3</sup>	2423.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

## Product datasheet

### File



360 Degree Image  
XENARC COOL BLUE INTENSE D2S 66240CBI 66240CBN

### Safety advice

XENARC lamp change is recommended to be carried out by a professional.

### Legal advice

ECE approval

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM