

# XENARC COOL BLUE INTENSE D1S

Extra-blue xenon light



**Xenon extra blue**

Extra blue light due to a special filling system used instead of conventional coating



**Up to 6,000 Kelvin**

High contrast and brilliantly blue light for most stylish and modern look on the road



**Up to 20% more light**

For better visibility and shorter reaction times compared to standard xenon lamps



**The extra-blue xenon light with up to 6,000 K**

XENARC COOL BLUE INTENSE – discover that modern look at high power! With its extra blue, high-contrast xenon light, this automotive lamp appeals especially to customers who like the perfect combination of stylish and individual design with exceptional road illumination. The high-tech xenon light with color temperatures of up to 6,000 Kelvin comes up with a highly efficient technology, brilliant effect and no-compromise design. Thanks to a special filling system which is used instead of conventional coating the lamp emits its extra blue light. This stylish light creates a high-attention effect that helps you to be better seen by other motorists. Discover the exceptionally bright, high-contrast and brilliantly blue light with up to 6,000 Kelvin and 20% more light! With XENARC COOL BLUE INTENSE, the night turns into day. Please note: XENARC lamp change is recommended to be carried out by a professional.

## Product datasheet

### Technical data


#### Electrical data

Power input	35 W
Nominal voltage	85.0 V
Nominal wattage	35.00 W
Test voltage	13.5 V
Power input tolerance	±3 %

#### Photometrical data

Luminous flux	3200 lm
Luminous flux tolerance	±15 %

#### Dimensions & weight



Diameter	9 mm
Product weight	59.00 g
Length	83.2 mm

#### Lifespan

Lifespan B3	1800 h
Lifespan Tc	2800 h

#### Additional product data

Base (standard designation)	PK32d-2
-----------------------------	---------

#### Capabilities

Technology	HID
------------	-----

#### Certificates & standards

## Product datasheet

ECE category	D1S <sup>1)</sup>
Approval marks – approval	E1 approval

<sup>1)</sup> To be operated only with approved electronic control gear

### Environmental information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	04-11-2022
Primary Article Identifier	4008321401472   4008321401458   4052899220720   4052899263499   4052899431577   4052899431645   4052899431669   4052899431621   4052899477742   4062172078764   4062172349024
Candidate List Substance 1	lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	5e386650-dcad-4d0f-b0c9-e24f266aa37c   f12f6278-50ff-440a-8fcb-b80bbe8080c7   6f0df3fc-ea48-4d50-a2ab-5c6bd0890d29   47b6e575-8138-4559-9cbd-1684fdd6c93a     4040b0ce-22c6-4237-8969-7d12a29de342   148d1497-355b-41d3-98d7-b5dad028b7f2   af987aac-92f7-4a05-a292-7aeec0b2b0e

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899220720	XENARC COOL BLUE INTENSE D1S	Folding carton box 1	53 mm x 46 mm x 93 mm	0.23 dm <sup>3</sup>	80.00 g
4052899333802	XENARC COOL BLUE INTENSE D1S	Shipping carton box 4	115 mm x 101 mm x 103 mm	1.20 dm <sup>3</sup>	341.00 g
4052899333819	XENARC COOL BLUE INTENSE D1S	Shipping carton box 48	371 mm x 256 mm x 232 mm	22.03 dm <sup>3</sup>	4399.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 360 Degree Image XENARC COOL BLUE INTENSE D1S 66140CBI 66140CBN

## Product datasheet

### Safety advice

XENARC lamp change is recommended to be carried out by a professional.

### Legal advice

ECE approval

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM