# **OSRAM**

# XENARC ORIGINAL D5S

### Four-year guarantee





#### The original spare parts with four-year guarantee

XENARC ORIGINAL lamps impress with a wide product range and the reliable OEM quality. Successfully used in millions of new automobiles from renowned manufacturers, whether as standard initial equipment or original spare parts. With up to 4,500 Kelvin color temperature, their light is closer to natural daylight than conventional halogen light with 3,200 Kelvin – and is thus more pleasant for the eyes. Thanks to the impressive intensity of the light, the lamps provide better visibility on the road. The durable lamps function as original spare parts of your vehicle and convince with their long lifetime. OSRAM provides a 4-year-guarantee for XENARC ORIGINAL lamps. Please note: XENARC lamp change is recommended to be carried out by a professional.

### Technical data


### **Electrical data**


Power input	31 W
Nominal voltage	12.0 V
Nominal wattage	25.00 W
Test voltage	13.5 V

### Photometrical data

Luminous flux	2000 lm		
Luminous flux tolerance	+15 %; -10 %		
Color temperature	4400 K		

# Dimensions & weight





Diameter	9 mm
Product weight	105.00 g
Length	80.0 mm

## Lifespan

Lifespan B3	2500 h
Lifespan Tc	4000 h
Guarantee	4 years

# Additional product data

Base (standard designation)	PK32d-7

# Capabilities

Technology	HID
------------	-----

### Certificates & standards

ECE category	D5S <sup>1)</sup>
Approval marks – approval	E4 approval

 $<sup>^{1)}</sup>$  To be operated only with approved electronic control gear

#### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	06-03-2024		
Primary Article Identifier	4052899600522   4062172243483   4062172305457   4062172346771		
Candidate List Substance 1	Lead		
CAS No. of substance 1	7439-92-1		
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.		
Declaration No. in SCIP database	bcc5f4fd-71d7-4c7c-95ea-52ac3cd5a270   fe4e3ad5- b5ec-4b62-8d27-e4149a4ab5e1		

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899600522	XENARC ORIGINAL D5S	Folding carton box 1	62 mm x 57 mm x 95 mm	0.34 dm <sup>3</sup>	131.00 g
4062172095686	XENARC ORIGINAL D5S	Shipping carton box 4	135 mm x 125 mm x 108 mm	1.82 dm <sup>3</sup>	576.00 g
4062172095693	XENARC ORIGINAL D5S	Shipping carton box 64	556 mm x 266 mm x 229 mm	33.87 dm <sup>3</sup>	9525.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Safety advice

XENARC lamp change is recommended to be carried out by a professional.

### **References / Links**

Guarantee terms are available at www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















