

SILVERSTAR 2.0 H1

Best price-performance ratio



Up to 60% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps

Up to 20 m longer light beam

For improved visibility and less eye strain compared to standard halogen lamps

Excellent price-performance ratio

For better visibility at a reasonable price



The OSRAM performance halogen light with best lifetime

With SILVERSTAR 2.0, OSRAM offers a high performance halogen automotive lamp with an optimized lifetime. SILVERSTAR 2.0 generates up to 60% more light and a beam which is up to 20 meters longer than in standard halogen lamps. This allows you to see road signs, obstacles and hazards sooner and the driver is left with more time to react. In addition to this, these automotive lamps have a convincing price-performance ratio and a modern design with an attractive silver cap (H4/H7/H11). The perfect choice for drivers who place high demands on performance, safety and value for money.

Technical data

Product information

| | |
|---|------------------------|
| Order reference | 64150SV2 |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data

| | |
|-----------------|--------------------|
| Power input | 68 W ¹⁾ |
| Nominal voltage | 120 V |
| Nominal wattage | 5500 W |
| Test voltage | 13.2 V |

¹⁾ Maximum

Photometrical data

| | |
|-------------------------|---------|
| Luminous flux | 1550 lm |
| Luminous flux tolerance | ±15 % |
| Color temperature | 3400 K |

Dimensions & weight



| | |
|----------------|--------|
| Diameter | 900 mm |
| Product weight | 600 g |
| Length | 675 mm |

Lifespan

| | |
|-------------|-------|
| Lifespan B3 | 250 h |
| Lifespan Tc | 450 h |

Additional product data

| | |
|-----------------------------|--------|
| Base (standard designation) | P14.5s |
|-----------------------------|--------|

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

| | |
|--------------|----|
| ECE category | H1 |
|--------------|----|

Country specific categorizations

| | |
|-----------------|----------|
| Order reference | 64150SV2 |
|-----------------|----------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---|
| Date of Declaration | 08-03-2024 |
| Primary Article Identifier | 4008321785824 4008321785855 4052899428577 4052899428690 4052899428751 4008321785893 4008321785800 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|---------------------------------|---|----------------------|--------------|
| 4008321785824 | SILVERSTAR 2.0 H1 | Folding carton box 1 | 25 mm x 23 mm x 70 mm | 0.04 dm ³ | 8.00 g |
| 4008321785831 | SILVERSTAR 2.0 H1 | Bundle 10 | 71 mm x 50 mm x 113 mm | 0.40 dm ³ | 81.00 g |
| 4008321785848 | SILVERSTAR 2.0 H1 | Shipping carton box 100 | 361 mm x 109 mm x 122 mm | 4.80 dm ³ | 1005.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



