

# ALLSEASON SUPER / ALLSEASON H4

Extra visibility under all weather conditions



**Extra visibility**  
Due to yellow coating



**Up to 30% more light**  
For better visibility and significantly  
shorter reaction times compared to  
standard halogen lamps



**Better sight**  
Under all weather conditions



**Better sight under all weather conditions**

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

Technical data

Product information

Order reference	64193ALS
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	75 / 68 W <sup>1)</sup>
Nominal voltage	120 V
Nominal wattage	60/55 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

Photometrical data

Luminous flux	1650/1000 lm
Luminous flux tolerance	±15 / ±15 %

Dimensions & weight



Diameter	1700 mm
Product weight	2560 g
Length	820 mm

Lifespan

Lifespan B3	150 / 150 h <sup>1)</sup>
Lifespan Tc	350 / 350 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

Additional product data

Base (standard designation)	P43t
-----------------------------	------

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H4
--------------	----

Country specific categorizations

Order reference	64193ALS
-----------------	----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4050300435978   4008321168559   4052899503311
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321168559	ALLSEASON SUPER / ALLSEASON H4	Hard Cover Box 2	- x - x -		148.00 g
4062172060516	ALLSEASON SUPER / ALLSEASON H4	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	801.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

