

# ALLSEASON SUPER / ALLSEASON H7

Extra visibility under all weather conditions




#### Extra visibility

Due to yellow coating



#### Up to 30% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



#### Better sight

Under all weather conditions



#### Better sight under all weather conditions

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

Technical data

Product information

Order reference	64210ALL
Application (Category and Product specific)	Halogen headlight lamp

Electrical data

Power input	58 W <sup>1)</sup>
Nominal voltage	120 V
Nominal wattage	5500 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

Photometrical data

Luminous flux	1500 lm
Luminous flux tolerance	±10 %

Dimensions & weight



Diameter	120 mm
Product weight	1250 g
Length	590 mm

Lifespan

Lifespan B3	330 h
Lifespan Tc	550 h

Additional product data

Base (standard designation)	PX26d
-----------------------------	-------

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H7
--------------	----

Country specific categorizations

Order reference	64210ALL
-----------------	----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (RECh)	
Date of Declaration	05-03-2024
Primary Article Identifier	4050300483153   4008321168757   4052899487239   4052899503335
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321168757	ALLSEASON SUPER / ALLSEASON H7	Hard Cover Box 2	- x - x -		123.00 g
4062172060547	ALLSEASON SUPER / ALLSEASON H7	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	670.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

