Product datasheet

OSRAM ALLSEASON SUPER / ALLSEASON H4

Extra visibility under all weather conditions







Up to 30% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



Better sight Under all weather conditions



Better sight under all weather conditions

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

Product datasheet

Technical data

Product information

Order reference	64193ALS	
Application (Category and Product specific)	Halogen headlight lamp	

Electrical data


Power input	75 / 68 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	60/55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1650/1000 lm
Luminous flux tolerance	±15 / ±15 %

Dimensions & weight



Diameter	17.0 mm
Product weight	25.60 g
Length	82.0 mm

Lifespan

Lifespan B3	150 / 150 h ¹⁾
Lifespan Tc	350 / 350 h ¹⁾

¹⁾ Filament 1 / Filament 2

Additional product data

Base (standard designation)	P43t
-----------------------------	------

Product datasheet

Capabilities

Technology	HAL		
Certificates & standards			
ECE category	H4		
Country specific categorizations			
Order reference	64193ALS		

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	05-03-2024		
Primary Article Identifier	4050300435978 4008321168559 4052899503311		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	In work		

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300435978	ALLSEASON SUPER / ALLSEASON H4	Folding carton box 1	- x - x -		
4050300435985	ALLSEASON SUPER / ALLSEASON H4	Bundle 10	- x - x -		
4050300435992	ALLSEASON SUPER / ALLSEASON H4	Shipping carton box 100	485 mm x 250 mm x 160 mm	19.40 dm³	3800.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













1.0 ℃ 2. ⊂=□ ↔ [



景景