

Product datasheet

## ORIGINAL LINE H16

Original spare part



### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

### General Product Information

Global order reference	64219L+
------------------------	---------

### Electrical Data


Power input	26 W <sup>1)</sup>
Nominal voltage	12 V
Nominal wattage	19 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometric Data

Nominal luminous flux	500 lm
Luminous flux tolerance	+10 %...15 %

### Physical Attributes & Dimensions



Diameter	9.5 mm
Product weight	18.80 g
Length	67.0 mm
Lamp base	PGJ19-3

### Lifetime Data

Lifespan B3	1115 hr
Lifespan Tc	2000 hr

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H16
--------------	-----

### Environmental & Regulatory Information



Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899589599   4062172051972   4008321626851   4008321626783   4008321626837   4052899403819   4062172421317   4052899561861
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321626783	ORIGINAL LINE H16	FS ECO 1	33 mm x 37 mm x 71 mm	0.01 dm <sup>3</sup>	25.00 g
4008321626806	ORIGINAL LINE H16	Shipping carton box 100	341 mm x 191 mm x 154 mm	10.03 dm <sup>3</sup>	2681.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction GPRS_Safety symbols instructions
 Addon Technical Information Product Certificates HAL

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

## Product datasheet



# OSRAM