

Product datasheet

## ORIGINAL LINE HB3

Original spare part



### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

### General Product Information

Global order reference	9005
------------------------	------

### Electrical Data


Power input	73 W <sup>1)</sup>
Nominal voltage	12 V
Nominal wattage	60 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometric Data

Nominal luminous flux	1700 lm
Luminous flux tolerance	±12 %

### Physical Attributes & Dimensions



Diameter	12.0 mm
Product weight	18.20 g
Length	76.2 mm
Lamp base	P20d

### Lifetime Data

Lifespan B3	280 hr
Lifespan Tc	550 hr

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	HB3
--------------	-----

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321171214   4052899408562   4062172404662   4050300137193   4008321166937   4008321021083   4062172395304   4008321021014   4008321795298
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300137193	OSRA9005	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300137193	ORIGINAL LINE HB3	FS ECO 1	47 mm x 47 mm x 71 mm	0.01 dm <sup>3</sup>	25.00 g
4050300137216	ORIGINAL LINE HB3	Shipping carton box 100	485 mm x 250 mm x 160 mm	19.40 dm <sup>3</sup>	2768.00 g
4062172395304	ORIGINAL LINE HB3	BLI ECO 1	95 mm x 47 mm x 135 mm	0.01 dm <sup>3</sup>	30.00 g
4062172395311	ORIGINAL LINE HB3	Shipping carton box 10	259 mm x 144 mm x 110 mm	4.10 dm <sup>3</sup>	371.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
------

## Product datasheet



User instruction  
GPRS\_Safety symbols instructions



Addon Technical Information  
Product Certificates HAL



ref\_pim\_amsproduct360degreeimages  
ORIGINAL HB3 9005

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM