

# OSRAM ORIGINAL LINE R2

Original spare part



### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

Order reference	64183
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	57 / 51 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	45/40 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	1030/675 lm
Luminous flux tolerance	±15 %
Color temperature	3200 K

### Dimensions & weight



Diameter	17.0 mm
Product weight	28.00 g
Length	82.0 mm

### Lifespan

Lifespan B3	250 / 400 h <sup>1)</sup>
Lifespan Tc	500 / 1200 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

### Additional product data

## Product datasheet

Base (standard designation)	P45t
-----------------------------	------

### Capabilities

Technology	Halogen lamp
------------	--------------

### Certificates & standards

ECE category	R2
--------------	----

### Country specific categorizations

Order reference	64183
-----------------	-------

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300350554	OSRA64183	-	-	-
4050300350561	OSRA64183	-	-	-
4050300350554	OSRA64183	-	-	-
4050300925400	OSRA64183BLI1	-	-	-
4050300925400	OSRA64183BLI1	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300350554	OSRAM ORIGINAL LINE R2	Folding carton box 1	47 mm x 47 mm x 71 mm	0.16 dm <sup>3</sup>	33.90 g
4050300350561	OSRAM ORIGINAL LINE R2	Bundle 10	143 mm x 71 mm x 192 mm	1.95 dm <sup>3</sup>	327.00 g
4050300350578	OSRAM ORIGINAL LINE R2	Shipping carton box 100	485 mm x 160 mm x 250 mm	19.40 dm <sup>3</sup>	3523.00 g
4050300925400	OSRAM ORIGINAL LINE R2	Blister 1	135 mm x 95 mm x 50 mm	0.64 dm <sup>3</sup>	41.00 g
4008321142887	OSRAM ORIGINAL LINE R2	Shipping carton box 10	335 mm x 145 mm x 116 mm	5.63 dm <sup>3</sup>	510.00 g
4052899411944	OSRAM ORIGINAL LINE R2	Blister 1	135 mm x 95 mm x 50 mm	0.64 dm <sup>3</sup>	41.00 g
4052899411951	OSRAM ORIGINAL LINE R2	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm <sup>3</sup>	510.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Product datasheet

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.