

ORIGINAL LINE HB5

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

Order reference	9007
Application (Category and Product specific)	Halogen headlight lamp

Electrical data

Power input	70 / 60 W ¹⁾
Nominal voltage	12.8 V
Nominal wattage	65/55 W
Test voltage	12.8 V

¹⁾ Maximum

Photometrical data

Luminous flux	1000 lm
Luminous flux tolerance	±10 / ±10 %

Dimensions & weight

Diameter	16.0 mm
Product weight	33.70 g
Length	95.0 mm

Lifespan

Lifespan B3	250 h
Lifespan Tc	500 h ¹⁾

¹⁾ B50 = average lifespanExplanation:1-filament lamp e. g. 100 2-filament lamp e. g. 100/300

Additional product data

Base (standard designation)	PX29t
-----------------------------	-------

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	HB5
--------------	-----


Country specific categorizations

Order reference	9007
-----------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	02-06-2023
Primary Article Identifier	4050300148816 0046135317958 4062172378215
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Download Data

File	
	360 Degree Image ORIGINAL HB5 9007

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

