

# OSRAM ORIGINAL LINE HB5

Original spare part



## The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

## Product datasheet

### Technical data

#### Product information

Order reference	9007
Application (Category and Product specific)	Halogen headlight lamp

#### Electrical data


Power input	70 / 60 W <sup>1)</sup>
Nominal voltage	12.8 V
Nominal wattage	65/55 W
Test voltage	12.8 V

<sup>1)</sup> Maximum

#### Photometrical data

Luminous flux	1000 lm
Luminous flux tolerance	±10 / ±10 %

#### Dimensions & weight



Diameter	16.0 mm
Product weight	34.00 g
Length	95.0 mm

#### Lifespan

Lifespan B3	250 h
Lifespan Tc	500 h <sup>1)</sup>

<sup>1)</sup> B50 = average lifespan Explanation: 1-filament lamp e. g. 100 2-filament lamp e. g. 100/300

#### Additional product data

Base (standard designation)	PX29t
-----------------------------	-------

## Product datasheet

### Capabilities

Technology	Halogen lamp
------------	--------------

### Certificates & standards

ECE category	HB5
--------------	-----

### Country specific categorizations

Order reference	9007
-----------------	------

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300148816	OSRAM ORIGINAL LINE HB5	Folding carton box 1	47 mm x 47 mm x 106 mm	0.23 dm <sup>3</sup>	44.00 g
4050300148823	OSRAM ORIGINAL LINE HB5	Bundle 10	98 mm x 119 mm x 249 mm	2.90 dm <sup>3</sup>	462.00 g
4050300148830	OSRAM ORIGINAL LINE HB5	Shipping carton box 200	550 mm x 395 mm x 250 mm	54.31 dm <sup>3</sup>	9250.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

