

# ORIGINAL LINE H13

Original spare part



## The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

|   |                        |
|---|------------------------|
| Order reference                             | 9008                   |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


|                 |                         |
|-----------------|-------------------------|
| Power input     | 75 / 68 W <sup>1)</sup> |
| Nominal voltage | 12.0 V                  |
| Nominal wattage | 60/55 W                 |
| Test voltage    | 13.2 V                  |

<sup>1)</sup> Maximum

Photometrical data

|                         |             |
|-------------------------|-------------|
| Luminous flux           | 1000 lm     |
| Luminous flux tolerance | ±15 / ±15 % |

Dimensions & weight



|                |         |
|----------------|---------|
| Diameter       | 17.0 mm |
| Product weight | 33.00 g |
| Length         | 93.0 mm |

Lifespan

|             |                            |
|-------------|----------------------------|
| Lifespan B3 | 170 / 1290 h <sup>1)</sup> |
| Lifespan Tc | 350 / 2590 h <sup>1)</sup> |

<sup>1)</sup> Filament 1 / Filament 2

Additional product data

|                             |        |
|-----------------------------|--------|
| Base (standard designation) | P26.4t |
|-----------------------------|--------|

Capabilities

|            |     |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

|              |     |
|--------------|-----|
| ECE category | H13 |
|--------------|-----|

Country specific categorizations

|                 |      |
|-----------------|------|
| Order reference | 9008 |
|-----------------|------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |   |
|---|---|
| Date of Declaration   | 05-03-2024  |
| Primary Article Identifier  | 0046135396809   4006584415793   4008321939401   4052899521957   4062172277808   4059089500938   0046135337833   4062172399005 |
| Candidate List Substance 1  | No declarable substances contained  |
| Declaration No. in SCIP database                                      | In work   |

Country specific information


| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321939401 | OSRA9008   | -       | -          | -      |
| 4052899269439 | OSRA9008   | -       | -          | -      |
| 4008321939401 | OSRA9008   | -       | -          | -      |

Logistical Data

| Product code  | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume                | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4008321939401 | ORIGINAL LINE H13   | Folding carton box 1         | 46 mm x 46 mm x 105 mm               | 0.22 dm <sup>3</sup>  | 43.00 g      |
| 4052899269439 | ORIGINAL LINE H13   | Bundle 10                    | 230 mm x 92 mm x 105 mm              | 2.22 dm <sup>3</sup>  | 440.00 g     |
| 4052899269446 | ORIGINAL LINE H13   | Shipping carton box 200      | 554 mm x 249 mm x 397 mm             | 54.79 dm <sup>3</sup> | 9399.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File  |                                       |
|---|---------------------------------------|
|  | 360 Degree Image<br>ORIGINAL H13 9008 |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

