

ULTRA LIFE P21W

Up to four times longer lifetime




Extra lifetime

Up to four times longer lifetime compared to standard auxiliary lamps



More durability

For longer replacement cycles and additional reliability and comfort



Wide product range

Fits for most common auxiliary lamp types



The durable light with up to four times longer lifetime

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

Product datasheet

Technical data

Product information

| | |
|---|----------------|
| Application (Category and Product specific) | Auxiliary lamp |
|---|----------------|

General Product Information

| | |
|------------------------|---------|
| Global order reference | 7506ULT |
|------------------------|---------|


Electrical Data

| | |
|-----------------------|--------|
| Power input | 25 W |
| Nominal voltage | 12.0 V |
| Nominal wattage | 21 W |
| Test voltage | 13.5 V |
| Power input tolerance | ±6 % |

Photometric Data

| | |
|-------------------------|--------|
| Nominal luminous flux | 460 lm |
| Luminous flux tolerance | ±15 % |

Physical Attributes & Dimensions



| | |
|----------------|---------|
| Diameter | 25.0 mm |
| Product weight | 7.88 g |
| Length | 52.5 mm |
| Lamp base | BA15s |

Lifetime Data

| | |
|-------------|---------|
| Lifespan B3 | 500 hr |
| Lifespan Tc | 1000 hr |

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

| | |
|---------------------------|-------------|
| ECE category | P21W |
| Approval marks – approval | E1 approval |

Environmental & Regulatory Information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (RECh) | |
|--|---|
| Date of declaration | 30-09-2024 |
| Primary article identifier | 4008321415141 4062172394833 4008321415349 |
| Candidate list substance 1 | No declarable substances contained |
| Declaration no. in SCIP database | In work |

Country specific information

| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|-------------|---------|------------|--------|
| 4008321415349 | OSRA7506ULT | - | - | - |


Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4008321415141 | ULTRA LIFE P21W | Blister 2 | 135 mm x 95 mm x 26 mm | 0.33 dm ³ | 27.00 g |
| 4008321415158 | ULTRA LIFE P21W | Shipping carton box 20 | 279 mm x 115 mm x 146 mm | 4.68 dm ³ | 345.00 g |
| 4008321415349 | ULTRA LIFE P21W | Unpacked 1 | 25 mm x 25 mm x 52 mm | 0.03 dm ³ | 8.00 g |
| 4008321415363 | ULTRA LIFE P21W | Shipping carton box 50 | 273 mm x 145 mm x 65 mm | 2.57 dm ³ | 554.00 g |
| 4062172394833 | ULTRA LIFE P21W | Blister 2 | 95 mm x 27 mm x 135 mm | 0.35 dm ³ | 27.00 g |
| 4062172394840 | ULTRA LIFE P21W | Shipping carton box 20 | 156 mm x 144 mm x 110 mm | 2.47 dm ³ | 321.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Download Data

| File | |
|---|--|
|  | ref_pim_amsproduct360degreeimages ULTRA LIFE P21W 7506ULT |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

