

# ULTRA LIFE R5W

Up to four times longer lifetime



## Extra lifetime

Up to four times longer lifetime compared to standard auxiliary lamps

## More durability

For longer replacement cycles and additional reliability and comfort

## Wide product range

Fits for most common auxiliary lamp types



## The durable light with up to four times longer lifetime

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

Technical data

Product information

Order reference	5007ULT
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	5 W
Nominal voltage	120 V
Nominal wattage	500 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometrical data

Luminous flux	50 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Diameter	1600 mm
Product weight	580 g
Length	375 mm

Lifespan

Lifespan B3	600 h
Lifespan Tc	1200 h

Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	R5W
Approval marks – approval	E1 approval

Country specific categorizations

Order reference	5007ULT
-----------------	---------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321415370   4008321415202   4008321416537   4062172394772
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321415370	OSRA5007ULT	-	-	-
4008321415387	OSRA5007ULT	-	-	-
4008321415370	OSRA5007ULT	-	-	-


Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321415202	ULTRA LIFE R5W	Blister 2	- x - x -		
4008321415219	ULTRA LIFE R5W	Shipping carton box 20	225 mm x 105 mm x 145 mm	3.43 dm <sup>3</sup>	296.00 g
4008321415370	ULTRA LIFE R5W	Unpacked 1	- x - x -		
4008321415387	ULTRA LIFE R5W	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm <sup>3</sup>	71.00 g
4008321415394	ULTRA LIFE R5W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm <sup>3</sup>	418.00 g

Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	360 Degree Image ULTRA LIFE R5W 5007ULT

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

