

# Lamps with metal bases -

Original spare part



## The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Technical data

Product information

|                                             |                |
|---------------------------------------------|----------------|
| Order reference                             | 3796           |
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

|                       |        |
|-----------------------|--------|
| Power input           | 2 W    |
| Nominal voltage       | 120 V  |
| Nominal wattage       | 200 W  |
| Test voltage          | 13.5 V |
| Power input tolerance | ±8 %   |

Photometrical data

|                         |        |
|-------------------------|--------|
| Luminous flux           | 125 lm |
| Luminous flux tolerance | ±25 %  |

Dimensions & weight



|                |        |
|----------------|--------|
| Diameter       | 900 mm |
| Product weight | 184 g  |
| Length         | 239 mm |

Lifespan

|             |       |
|-------------|-------|
| Lifespan B3 | 300 h |
| Lifespan Tc | 750 h |

Additional product data

|                             |      |
|-----------------------------|------|
| Base (standard designation) | BA9s |
|-----------------------------|------|

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

|                           |   |
|---------------------------|---|
| ECE category              | - |
| Approval marks – approval | - |

Country specific categorizations

|                 |      |
|-----------------|------|
| Order reference | 3796 |
|-----------------|------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                    |
|-----------------------------------------------------------------------|------------------------------------|
| Date of Declaration                                                   | 05-03-2024                         |
| Primary Article Identifier                                            | 4050300891309   4050300887470      |
| Candidate List Substance 1                                            | No declarable substances contained |
| Declaration No. in SCIP database                                      | No declarable substances contained |

Country specific information

| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300891309 | OSRA3796   | -       | -          | -      |
| 4050300891316 | OSRA3796   | -       | -          | -      |
| 4050300891309 | OSRA3796   | -       | -          | -      |

Logistical Data

| Product code  | Product description           | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|---------------|-------------------------------|---------------------------------|-----------------------------------------|----------------------|--------------|
| 4050300891309 | ORIGINAL - METAL<br>BASE 3796 | Unpacked<br>1                   | 9 mm x 9 mm x 24<br>mm                  | 0.00 dm <sup>3</sup> | 2.00 g       |
| 4050300891316 | ORIGINAL - METAL<br>BASE 3796 | Folding carton box<br>10        | 46 mm x 29 mm x<br>112 mm               | 0.15 dm <sup>3</sup> | 29.40 g      |
| 4008321095718 | ORIGINAL - METAL<br>BASE 3796 | Shipping carton box<br>50       | 148 mm x 115 mm x<br>55 mm              | 0.94 dm <sup>3</sup> | 176.50 g     |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

Product datasheet

For more detailed application information and graphics please see product datasheet.

**Disclaimer**  
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM