

Lamps with metal bases P21/5W

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Product datasheet

Technical data

Product information

| | |
|---|----------------|
| Order reference | 7528 |
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

| | |
|-----------------------|---------------|
| Power input | 25 / 6 W |
| Nominal voltage | 12.0 V |
| Nominal wattage | 21/5 W |
| Test voltage | 13.5 / 13.5 V |
| Power input tolerance | ±6 / ±10 % |

Photometrical data

| | |
|-------------------------|-------------|
| Luminous flux | 440/35 lm |
| Luminous flux tolerance | ±15 / ±20 % |

Dimensions & weight



| | |
|----------------|---------|
| Diameter | 26.5 mm |
| Product weight | 10.50 g |
| Length | 52.5 mm |

Lifespan

| | |
|-------------|----------------------------|
| Lifespan B3 | 180 / 1250 h ¹⁾ |
| Lifespan Tc | 290 / 4000 h ¹⁾ |

¹⁾ Filament 1 / Filament 2

Additional product data

| | |
|-----------------------------|--------|
| Base (standard designation) | BAY15d |
|-----------------------------|--------|

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

| | |
|---------------------------|-------------|
| ECE category | P21/5W |
| Approval marks – approval | E1 approval |

Country specific categorizations

| | |
|-----------------|------|
| Order reference | 7528 |
|-----------------|------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---|
| Date of Declaration | 06-03-2024 |
| Primary Article Identifier | 4050300838069 4008321019219 4008321912565 4050300925523 4008321536037 4008321616135 4008321671837 4052899340480 4052899402171 4052899402195 4052899593497 4062172121293 4062172121279 4062172121255 4062172141376 4052899581463 4008321593948 4062172387392 4062172396448 4062172396424 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |

Country specific information

| Product code | METEL code | SEG number | STK number | UK Org |
|---------------|--------------|------------|------------|--------|
| 4050300838069 | OSRA7528 | 8328084 | - | - |
| 4050300525129 | OSRA7528 | 8328084 | - | - |
| 4050300838069 | OSRA7528 | 8328084 | - | - |
| 4050300925523 | OSRA7528BLI2 | - | 4730331 | - |
| 4050300925523 | OSRA7528BLI2 | - | 4730331 | - |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|------------------------------|------------------------------|--------------------------------------|--------|--------------|
| 4050300838069 | ORIGINAL - METAL BASE P21/5W | Unpacked 1 | - x - x - | | |
| 4050300525129 | ORIGINAL - METAL BASE P21/5W | Folding carton box 10 | - x - x - | | |

Product datasheet

| | | | | | |
|---------------|---------------------------------|---------------------------|----------------------------|----------------------|----------|
| 4008321091055 | ORIGINAL - METAL BASE P21/5W | Shipping carton box 50 | 273 mm x 145 mm x 65 mm | 2.57 dm ³ | 685.00 g |
| 4050300925523 | ORIGINAL - METAL BASE P21/5W | Blister 2 | - x - x - | | |
| 4008321140548 | ORIGINAL - METAL BASE P21/5W | Shipping carton box 20 | 280 mm x 80 mm x 103 mm | 2.31 dm ³ | 308.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM