## **OSRAM**

# Lamps with metal bases H21W

## Original spare part





#### The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

#### Technical data

## **Product information**

| Order reference                             | 64136          |  |
|---|----------------|--|
| Application (Category and Product specific) | Auxiliary lamp |  |


#### **Electrical data**

| Power input           | 25 W    |
|-----------------------|---------|
| Nominal voltage       | 12.0 V  |
| Nominal wattage       | 21.00 W |
| Test voltage          | 13.5 V  |
| Power input tolerance | ±5 %    |

## Photometrical data

| Luminous flux           | 600 lm |
|-------------------------|--------|
| Luminous flux tolerance | ±12 %  |

## **Dimensions & weight**



| Diameter       | 9 mm    |
|----------------|---------|
| Product weight | 2.68 g  |
| Length         | 38.9 mm |

## Lifespan

| Lifespan B3 | 240 h |
|-------------|-------|
| Lifespan Tc | 480 h |

## Additional product data

## **Capabilities**

| Technology | AUX |
|------------|-----|
|------------|-----|

#### Certificates & standards

| ECE category              | H21W        |  |
|---------------------------|-------------|--|
| Approval marks – approval | E1 approval |  |

## **Country specific categorizations**

| Order reference | 64136 |
|-----------------|-------|

#### **Environmental information**

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) |   |  |  |  |
|---|---|--|--|--|
| Date of Declaration   | 05-03-2024  |  |  |  |
| Primary Article Identifier  | 4050300883335   4008321095190   4008321379320<br>  4008321379382   4062172251631  <br>4062172262316   4052899488427   4062172262347 |  |  |  |
| Candidate List Substance 1  | No declarable substances contained  |  |  |  |
| Declaration No. in SCIP database                                      | In work   |  |  |  |

#### Country specific information

| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321095190 | OSRA64136  | -       | -          | -      |
| 4008321095206 | OSRA64136  | -       | -          | -      |
| 4008321095190 | OSRA64136  | -       | -          | -      |

#### Logistical Data

| Product code  | Product description           | Packaging unit<br>(Pieces/Unit) | Dimensions (length x width x height) | Volume               | Gross weight |
|---------------|-------------------------------|---------------------------------|--------------------------------------|----------------------|--------------|
| 4008321095190 | ORIGINAL - METAL<br>BASE H21W | Unpacked<br>1                   | - x - x -                            |                      |              |
| 4008321095206 | ORIGINAL - METAL<br>BASE H21W | Folding carton box<br>10        | - x - x -                            |                      |              |
| 4008321095213 | ORIGINAL - METAL<br>BASE H21W | Shipping carton box 50          | 205 mm x 144 mm x<br>64 mm           | 1.89 dm <sup>3</sup> | 249.00 g     |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













