

ORIGINAL - METAL BASE PY21W

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Product datasheet

Technical data

Product information

Order reference	7507
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	25 W
Nominal voltage	12.0 V
Nominal wattage	21.00 W
Test voltage	13.5 V
Power input tolerance	±6 %

Photometrical data

Luminous flux	280 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Diameter	25.0 mm
Product weight	8.00 g
Length	52.6 mm

Lifespan

Lifespan B3	250 h
Lifespan Tc	500 h

Additional product data

Base (standard designation)	BAU15s
-----------------------------	--------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	PY21W
Approval marks – approval	E1 approval

Country specific categorizations

Order reference	7507
-----------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	11-10-2022
Primary Article Identifier	4050300891477 4050300925462 4008321225290 4008321417541 4008321536013 4008321652911 4052899137455 4052899531178 4062172044202 4062172049962 4062172051231 4062172072304 4062172188425 4062172188449 4062172188463 4062172200967 4008321618603
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300891477	OSRA7507	-	-	-
4050300891484	OSRA7507	-	-	-
4050300891477	OSRA7507	-	-	-
4050300925462	OSRA7507BLI2	-	4730329	-
4050300925462	OSRA7507BLI2	-	4730329	-

Logistical Data


Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891477	ORIGINAL - METAL BASE PY21W	Unpacked 1	- x - x -		11.00 g
4050300891484	ORIGINAL - METAL BASE PY21W	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm ³	102.00 g

Product datasheet

4008321091000	ORIGINAL - METAL BASE PY21W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	560.00 g
4050300925462	ORIGINAL - METAL BASE PY21W	Blister 2	95 mm x 70 mm x 28 mm	0.19 dm ³	22.00 g
4008321140517	ORIGINAL - METAL BASE PY21W	Shipping carton box 20	280 mm x 104 mm x 80 mm	2.33 dm ³	271.20 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	360 Degree Image ORIGINAL PY21W 7507

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM