

# ORIGINAL - METAL BASE P21/4W

Original spare part



### The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

# Product datasheet

## Technical data

### Product information

|   |                |
|---|----------------|
| Order reference                             | 7225           |
| Application (Category and Product specific) | Auxiliary lamp |


### Electrical data

|                       |               |
|-----------------------|---------------|
| Power input           | 25 / 5 W      |
| Nominal voltage       | 12.0 V        |
| Nominal wattage       | 21/4 W        |
| Test voltage          | 13.5 / 13.5 V |
| Power input tolerance | ±6 / ±10 %    |

### Photometrical data

|                         |             |
|-------------------------|-------------|
| Luminous flux           | 440/15 lm   |
| Luminous flux tolerance | ±15 / ±20 % |

### Dimensions & weight



|                |         |
|----------------|---------|
| Diameter       | 25.0 mm |
| Product weight | 10.00 g |
| Length         | 52.0 mm |

### Lifespan

|             |                            |
|-------------|----------------------------|
| Lifespan B3 | 180 / 1250 h <sup>1)</sup> |
| Lifespan Tc | 290 / 4000 h <sup>1)</sup> |

<sup>1)</sup> Filament 1 / Filament 2

### Additional product data

|                             |        |
|-----------------------------|--------|
| Base (standard designation) | BAZ15d |
|-----------------------------|--------|

## Product datasheet

### Capabilities

|            |     |
|------------|-----|
| Technology | AUX |
|------------|-----|

### Certificates & standards

|                           |             |
|---------------------------|-------------|
| ECE category              | P21/4W      |
| Approval marks – approval | E1 approval |

### Country specific categorizations

|                 |      |
|-----------------|------|
| Order reference | 7225 |
|-----------------|------|

### Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |  |
|---|--|
| Date of Declaration   | 11-10-2022   |
| Primary Article Identifier  | 4050300803012   4008321163974   4050300891514<br>  4050300925547   4008321593009  <br>4008321671875   4052899402119   4062172091749<br>  4062172121033   4062172121378 |
| Candidate List Substance 1  | No declarable substances contained   |
| Declaration No. in SCIP database                                      | In work  |

### Country specific information

| Product code  | METEL code | SEG-No. | STK number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300891514 | OSRA7225   | -       | -          | -      |
| 4050300891521 | OSRA7225   | -       | -          | -      |
| 4050300891514 | OSRA7225   | -       | -          | -      |
| 4050300925547 | -          | -       | 4730330    | -      |
| 4050300925547 | -          | -       | 4730330    | -      |

### Logistical Data

| Product code  | Product description          | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume               | Gross weight |
|---------------|------------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4050300891514 | ORIGINAL - METAL BASE P21/4W | Unpacked<br>1                | 25 mm x 25 mm x<br>53 mm             | 0.03 dm <sup>3</sup> | 10.00 g      |
| 4050300891521 | ORIGINAL - METAL BASE P21/4W | Folding carton box<br>10     | 58 mm x 54 mm x<br>139 mm            | 0.44 dm <sup>3</sup> | 104.80 g     |
| 4008321091093 | ORIGINAL - METAL BASE P21/4W | Shipping carton box<br>50    | 273 mm x 145 mm x<br>65 mm           | 2.57 dm <sup>3</sup> | 574.00 g     |

## Product datasheet

|               |                                 |                           |                             |                      |          |
|---------------|---------------------------------|---------------------------|-----------------------------|----------------------|----------|
| 4050300925547 | ORIGINAL - METAL<br>BASE P21/4W | Blister<br>2              | 95 mm x 70 mm x<br>18 mm    | 0.12 dm <sup>3</sup> | 25.00 g  |
| 4008321140531 | ORIGINAL - METAL<br>BASE P21/4W | Shipping carton box<br>20 | 230 mm x 102 mm x<br>130 mm | 3.05 dm <sup>3</sup> | 335.60 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM