OSRAM

Lamps with metal bases -

Original spare part





The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Technical data

Product information

Order reference	3796	
Application (Category and Product specific)	Auxiliary lamp	


Electrical data

Power input	2 W
Nominal voltage	12.0 V
Nominal wattage	2.00 W
Test voltage	13.5 V
Power input tolerance	±8 %

Photometrical data

Luminous flux	12.5 lm	
Luminous flux tolerance	±25 %	

Dimensions & weight



Diameter	9 mm	
Product weight	1.84 g	
Length	23.9 mm	

Lifespan

Lifespan B3	300 h
Lifespan Tc	750 h

Additional product data

Base (standard designation)	BA9s
base (standard designation)	DR73

Capabilities

Technology	AUX	
Certificates & standards		
ECE category		
Approval marks – approval		

Order reference 37	3796

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	05-03-2024	
Primary Article Identifier	4050300891309 4050300887470	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	No declarable substances contained	

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org	
4050300891309	OSRA3796	-	-	-	
4050300891316	OSRA3796	-	-	-	
4050300891309	OSRA3796	-	-	-	

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891309	ORIGINAL - METAL BASE 3796	Unpacked 1	9 mm x 9 mm x 24 mm	0.00 dm ³	2.00 g
4050300891316	ORIGINAL - METAL BASE 3796	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm ³	29.40 g
4008321095718	ORIGINAL - METAL BASE 3796	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm³	176.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.









