Product datasheet

# ORIGINAL - GLASS WEDGE BASE WY16W

Original spare part

## The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM´s proven high quality.


© 2026, OSRAM GmbH. All rights reserved.

# Product datasheet

## Technical data

### Product information

| | |
|---|---|
| **Application (Category and Product specific)** | Auxiliary lamp |

### General Product Information

| | |
|---|---|
| **Global order reference** | 921NA |

### Electrical Data

| | |
|---|---|
| **Power input** | 19.4 W |
| **Nominal voltage** | 12.8 V |
| **Nominal wattage** | 16 W |
| **Test voltage** | 13.5 V |
| **Power input tolerance** | ±10 % |

### Photometric Data

| | |
|---|---|
| **Nominal luminous flux** | 190 lm |
| **Luminous flux tolerance** | ±20 % |

### Physical Attributes & Dimensions




| | |
|---|---|
| **Diameter** | 16.0 mm |
| **Product weight** | 2.20 g |
| **Length** | 38.0 mm |
| **Lamp base** | W2.1x9.5d |

### Lifetime Data

| | |
|---|---|
| **Lifespan B3** | 400 hr |
| **Lifespan Tc** | 1000 hr |


© 2026, OSRAM GmbH. All rights reserved.

## Capabilities

| | |
|---|---|
| **Technology** | AUX |

## Certificates & standards

| | |
|---|---|
| **ECE category** | WY16W |

## Environmental & Regulatory Information

| **Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)** | |
|---|---|
| **Primary article identifier** | 4062172080286 \| 4052899230460 \| 4062172080262 |
| **Candidate list substance 1** | No declarable substances contained |
| **Declaration no. in SCIP database** | No declarable substances contained |

## Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---|---|---|---|---|---|
| 4052899230460 | ORIGINAL - WEDGE BASE WY16W | Unpacked 1 | 38 mm x 16 mm x 16 mm | 0.01 $dm^3$ | 2.00 g |
| 4052899230484 | ORIGINAL - WEDGE BASE WY16W | Shipping carton box 50 | 205 mm x 144 mm x 64 mm | 1.89 $dm^3$ | 238.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Download Data

| | File |
|---|---|
| | User instruction<br>GPRS_Safety symbols instructions |
| | Addon Technical Information<br>Product Certificates AUX |

**Application advice**
For more detailed application information and graphics please see product datasheet.

**Disclaimer**
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.




© 2026, OSRAM GmbH. All rights reserved.

OSRAM

—


© 2026, OSRAM GmbH. All rights reserved.